

PROFILI, CEVI**ALUMINIJ PLOŠČATE PALICE –
IZTISNJENE, T66**

Dimenzija, dovoljena odstopanja,
prerez in masa – po EN 755-5

Material po

EN 573-3, 754-2

Dolžina palic: 6 m

Certifikat: EN 10204/3.1

PROFILES, TUBES**ALUMINIUM FLAT BARS –
EXTRUDED, T66**

Dimensions, tolerances, cross section
and mass – according to EN 755-5

Material according to

573-3, 754-2

Bar length: 6 m

Certificate: EN 10204/3.1

PROFILE, ROHRE**ALUMINIUMFLACHSTANGEN –
GEPRESST, T66**


Maße, Grenzabmasse und
Formtoleranzen, Querschnitt und

Masse – gemäß EN 755-5

Material gemäß 573-3, 754-2

Stablänge: 6 m

WAZ: EN 10204/3.1



Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
10 x 2	0,05
10 x 3	0,08
10 x 4	0,11
10 x 5	0,14
10 x 8	0,22
12 x 3	0,10
12 x 6	0,19
12 x 8	0,26
15 x 2	0,08
15 x 3	0,12
15 x 4	0,16
15 x 5	0,20
15 x 6	0,24
15 x 8	0,32
15 x 10	0,41
18 x 3	0,15
20 x 2	0,18
20 x 3	0,16
20 x 4	0,22
20 x 5	0,27
20 x 6	0,32
20 x 8	0,43
20 x 10	0,54
20 x 12	0,65
20 x 15	0,81
25 x 2	0,14
25 x 3	0,20
25 x 4	0,27
25 x 5	0,32
25 x 6	0,41
25 x 8	0,54
25 x 10	0,68

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
25 x 12	0,81
25 x 15	1,01
25 x 20	1,35
30 x 2	0,16
30 x 3	0,24
30 x 4	0,32
30 x 5	0,40
30 x 6	0,49
30 x 8	0,65
30 x 10	0,81
30 x 12	0,97
30 x 15	1,22
30 x 20	1,62
30 x 25	2,03
35 x 3	0,28
35 x 4	0,38
35 x 5	0,47
35 x 6	0,57
35 x 8	0,76
35 x 10	0,95
35 x 12	1,13
35 x 15	1,42
40 x 2	0,22
40 x 3	0,35
40 x 4	0,43
40 x 5	0,54
40 x 6	0,65
40 x 8	0,86
40 x 10	1,08
40 x 12	1,30
40 x 15	1,62
40 x 20	2,16

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
40 x 25	2,70
40 x 30	3,32
45 x 3	0,37
45 x 5	0,61
45 x 6	0,73
45 x 8	0,97
45 x 10	1,22
50 x 2	0,20
50 x 3	0,41
50 x 4	0,54
50 x 5	0,68
50 x 6	0,81
50 x 8	1,08
50 x 10	1,35
50 x 12	1,62
50 x 15	2,03
50 x 20	2,70
50 x 25	3,38
50 x 30	4,05
50 x 40	5,40
60 x 2	0,32
60 x 3	0,49
60 x 4	0,65
60 x 5	0,81
60 x 6	0,97
60 x 8	1,30
60 x 10	1,62
60 x 12	1,94
60 x 15	2,43
60 x 20	3,24
60 x 25	4,05
60 x 30	4,86

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
60 x 35	5,70
60 x 40	6,50
70 x 3	0,57
70 x 4	0,76
70 x 5	0,95
70 x 6	1,13
70 x 8	1,51
70 x 10	1,89
70 x 12	2,27
70 x 15	2,84
70 x 20	3,78
70 x 25	4,73
70 x 30	5,70
70 x 40	7,60
80 x 2	0,43
80 x 3	0,65
80 x 4	0,86
80 x 5	1,08
80 x 6	1,30
80 x 8	1,73
80 x 10	2,16
80 x 12	2,59
80 x 15	3,24

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
80 x 20	4,32
80 x 25	5,50
80 x 30	6,60
80 x 40	8,60
90 x 5	1,22
90 x 10	2,43
90 x 20	4,86
100 x 2	0,54
100 x 3	0,83
100 x 4	1,10
100 x 5	1,35
100 x 6	1,62
100 x 8	2,16
100 x 10	2,70
100 x 12	3,30
100 x 15	4,05
100 x 20	5,40
100 x 30	8,25
100 x 40	11,00
100 x 50	13,75
120 x 5	1,62
120 x 8	2,64
120 x 10	3,24

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b	
120 x 15	4,90
120 x 20	6,60
120 x 30	9,90
120 x 15	4,90
120 x 20	6,60
120 x 30	9,90
140 x 10	3,85
150 x 5	2,06
150 x 8	3,30
150 x 10	4,05
150 x 15	6,19
150 x 20	8,25
150 x 30	12,15
160 x 10	4,32
180 x 10	4,86
200 x 5	2,70
200 x 8	4,40
200 x 10	5,40
200 x 15	8,25
200 x 20	11,00
250 x 10	6,80
250 x 12	8,10
250 x 15	10,10

EN AW 6060 (AlMgSi0,50)

Legenda: / Legend: / Legende:

Na zalogi
In stock
Auf Lager

Dobavljivo glede na povpraševanje
Deliverable on demand
Auf Anfrage lieferbar

**ALUMINIJ T PROFILI –
IZTISNJENI, T66**

Dimenzija, dovoljena odstopanja,
prerez in masa – po EN 755–9

Material po

EN 573–3, 755–2

Dolžina palic: 6 m

Certifikat: EN 10204/3.1

**ALUMINIUM T PROFILES –
EXTRUDED, T66**

Dimensions, tolerances, cross section
and mass – according to EN 755–9

Material according to EN 573–3,
755–2

Bar length: 6 m

Certificate: EN 10204/3.1


**ALUMINIUM T-PROFILE –
GEPRESST, T66**

Maße, Grenzabmasse und
Formtoleranzen, Querschnitt und
Masse – gemäß EN 755–9

Material gemäß EN 573–3, 755–2

Stablänge: 6 m

WAZ: EN 10204/3.1



Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
15 x 15 x 2,0	0,15
15 x 15 x 3,0	0,22
20 x 20 x 2,0	0,21
25 x 25 x 2,0	0,26
25 x 25 x 3,0	0,38
30 x 30 x 2,0	0,31
30 x 30 x 3,0	0,46
35 x 35 x 3,0	0,54
40 x 30 x 2,0	0,37
40 x 40 x 2,0	0,42
40 x 40 x 3,0	0,62
40 x 40 x 4,0	0,82
45 x 45 x 3,0	0,70
50 x 50 x 4,0	1,06
50 x 50 x 5,0	1,28
60 x 60 x 4,0	1,28
60 x 60 x 6,0	1,85

EN AW 6060 (AlMgSi0,50)

Legenda: / Legend: / Legende:

Na zalogi
In stock
Auf Lager

Dobavljivo glede na povpraševanje
Deliverable on demand
Auf Anfrage lieferbar

**ALUMINIJ U PROFILI –
IZTISNJNI, T66**


Dimenzija, dovoljena odstopanja,
prerez in masa – po EN 755–9
Material po
EN 573–3, 755–2
Dolžina palic: 6 m
Certifikat: EN 10204/3.1

**ALUMINIUM U PROFILES –
EXTRUDED, T66**

Dimensions, tolerances, cross section
and mass – according to EN 755–9
Material according to EN 573–3,
755–2
Bar length: 6 m
Certificate: EN 10204/3.1

**ALUMINIUM U-PROFILE –
GEPRESST, T66**

Maße, Grenzabmasse und
Formtoleranzen, Querschnitt und
Masse – gemäß EN 755–9
Material gemäß EN 573–3, 755–2
Stablänge: 6 m
WAZ: EN 10204/3.1



Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
10 x 10 x 1,5	0,11
10 x 10 x 2,0	0,14
10 x 15 x 1,5	0,15
12 x 20 x 2,0	0,26
12,5 x 12,5 x 1,5	0,13
15 x 15 x 1,5	0,17
15 x 15 x 2,0	0,22
15 x 15 x 3,0	0,32
15 x 20 x 2,0	0,28
15 x 30 x 3,0	0,56
18 x 18 x 2,0	0,27
20 x 10 x 2,0	0,19
20 x 15 x 2,0	0,25
20 x 20 x 1,5	0,24
20 x 20 x 2,0	0,30
20 x 25 x 1,5	0,27
20 x 30 x 1,5	0,31
20 x 30 x 2,0	0,41
21 x 35 x 2,0	0,47
22 x 22 x 2,0	0,34
25 x 15 x 2,0	0,28
25 x 20 x 2,0	0,33
25 x 20 x 3,0	0,48
25 x 25 x 2,0	0,38

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
25 x 25 x 3,0	0,56
25 x 30 x 2,0	0,44
25 x 35 x 2,0	0,49
30 x 15 x 2,0	0,31
30 x 15 x 3,0	0,45
30 x 20 x 2,0	0,36
30 x 20 x 3,0	0,52
30 x 30 x 2,0	0,46
30 x 30 x 3,0	0,68
34 x 32 x 2,0	0,51
35 x 20 x 2,0	0,38
35 x 25 x 2,0	0,45
35 x 35 x 2,0	0,55
40 x 20 x 2,0	0,41
40 x 20 x 3,0	0,61
40 x 25 x 3,0	0,68
40 x 30 x 3,0	0,76
40 x 30 x 4,0	0,99
40 x 40 x 2,0	0,63
40 x 40 x 3,0	0,92
40 x 40 x 4,0	1,21
45 x 25 x 3,0	0,73
45 x 45 x 2,0	0,71
50 x 15 x 3,0	0,60

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
50 x 25 x 3,0	0,76
50 x 30 x 3,0	0,84
50 x 30 x 4,0	1,12
50 x 40 x 4,0	1,34
50 x 50 x 3,0	1,17
50 x 50 x 4,0	1,53
50 x 50 x 5,0	1,89
60 x 30 x 3,0	0,94
60 x 30 x 4,0	1,21
60 x 40 x 3,0	1,11
60 x 40 x 4,0	1,43
60 x 40 x 5,0	1,76
70 x 40 x 4,0	1,53
80 x 30 x 3,0	1,11
80 x 40 x 4,0	1,64
80 x 50 x 5,0	2,30
90 x 50 x 3,0	1,52
100 x 40 x 4,0	1,86
100 x 50 x 5,0	2,57
100 x 64 x 6,4	3,72
125 x 63 x 6,0	3,87
125 x 80 x 8,0	5,80
140 x 60 x 7,0	4,65
160 x 80 x 10,0	8,10

EN AW 6060 (AlMgSi0,50)

Legenda: / Legend: / Legende:

Na zalogi
In stock
Auf Lager

Dobavljivo glede na povpraševanje
Deliverable on demand
Auf Anfrage lieferbar

**ALUMINIJ KOTNIKI
(ENAKOKRAKI) –
IZTISNJENI, T66**

Dimenzija, dovoljena odstopanja,
prerez in masa – po EN 755–9

Material po

EN 573–3, 755–2

Dolžina palic: 6 m

Certifikat: EN 10204/3.1

**ALUMINIUM ANGLES
(EQUAL LEG) –
EXTRUDED, T66**

Dimensions, tolerances, cross section
and mass – according to EN 755–9

Material according to EN 573–3,

755–2

Bar length: 6 m

Certificate: EN 10204/3.1


**ALUMINIUMWINKEL
(GLEICHSCHENKLIG) –
GEPRESST, T66**

Maße, Grenzabmasse und
Formtoleranzen, Querschnitt und
Masse – gemäß EN 755–9

Material gemäß EN 573–3, 755–2

Stablänge: 6 m

WAZ: EN 10204/3.1



Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x a x d	
10 x 10 x 1,5	0,08
10 x 10 x 2,0	0,10
12 x 12 x 2,0	0,12
15 x 15 x 1,0	0,08
15 x 15 x 1,5	0,12
15 x 15 x 2,0	0,15
15 x 15 x 3,0	0,22
20 x 20 x 1,5	0,16
20 x 20 x 2,0	0,21
20 x 20 x 3,0	0,30
20 x 20 x 4,0	0,39
25 x 25 x 1,5	0,20
25 x 25 x 2,0	0,26
25 x 25 x 3,0	0,38
25 x 25 x 4,0	0,50
30 x 30 x 2,0	0,31
30 x 30 x 3,0	0,46
30 x 30 x 4,0	0,60
30 x 30 x 5,0	0,76

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x a x d	
35 x 35 x 2,0	0,37
35 x 35 x 3,0	0,54
35 x 35 x 4,0	0,71
35 x 35 x 5,0	0,88
40 x 40 x 2,0	0,42
40 x 40 x 3,0	0,62
40 x 40 x 4,0	0,82
40 x 40 x 5,0	1,01
45 x 45 x 2,0	0,48
45 x 45 x 3,0	0,70
45 x 45 x 5,0	1,15
50 x 50 x 2,0	0,53
50 x 50 x 3,0	0,79
50 x 50 x 4,0	1,04
50 x 50 x 5,0	1,28
50 x 50 x 6,0	1,52
50 x 50 x 8,0	2,02
50 x 50 x 10,0	2,48

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x a x d	
60 x 60 x 2,0	0,65
60 x 60 x 3,0	0,95
60 x 60 x 4,0	1,25
60 x 60 x 5,0	1,55
60 x 60 x 6,0	1,85
60 x 60 x 8,0	2,46
70 x 70 x 7,0	2,51
80 x 80 x 2,0	0,85
80 x 80 x 3,0	1,27
80 x 80 x 4,0	1,72
80 x 80 x 5,0	2,09
80 x 80 x 8,0	3,28
80 x 80 x 10,0	4,05
100 x 100 x 4,0	2,16
100 x 100 x 6,0	3,14
100 x 100 x 8,0	4,22
100 x 100 x 10,0	5,10
120 x 120 x 10,0	6,33

EN AW 6060 (AlMgSi0,50)

Legenda: / Legend: / Legende:

Na zalogi
In stock
Auf Lager

Dobavljivo glede na povpraševanje
Deliverable on demand
Auf Anfrage lieferbar

**ALUMINIJ KOTNIKI
(RAZKOTNIKI) –
IZTISNJNI, T66**Dimenzija, dovoljena odstopanja,
prerez in masa – po EN 755–9

Material po

EN 573–3, 755–2

Dolžina palic: 6 m

Certifikat: EN 10204/3.1

**ALUMINIUM ANGLES
(UNEQUAL LEG) –
EXTRUDED, T66**Dimensions, tolerances, cross section
and mass – according to EN 755–9Material according to EN 573–3,
755–2

Bar length: 6 m


Certificate: EN 10204/3.1

**ALUMINIUMWINKEL
(UNGLEICHSCHENKLING) –
GEPRESST, T66**Maße, Grenzabmasse und
Formtoleranzen, Querschnitt und
Masse – gemäß EN 755–9

Material gemäß EN 573–3, 755–2

Stablänge: 6 m

WAZ: EN 10204/3.1



Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
15 x 10 x 2,0	0,12
20 x 10 x 1,5	0,12
20 x 10 x 2,0	0,15
20 x 15 x 2,0	0,18
25 x 10 x 2,0	0,18
25 x 15 x 1,5	0,16
25 x 15 x 2,0	0,21
25 x 20 x 2,0	0,23
30 x 10 x 2,0	0,21
30 x 15 x 2,0	0,23
30 x 15 x 3,0	0,34
30 x 20 x 2,0	0,26
30 x 20 x 3,0	0,38
35 x 20 x 2,0	0,29
40 x 10 x 2,0	0,26
40 x 15 x 2,0	0,29
40 x 20 x 2,0	0,31
40 x 20 x 3,0	0,46
40 x 20 x 4,0	0,60
40 x 25 x 2,0	0,35
40 x 25 x 3,0	0,51
40 x 30 x 1,5	0,28
40 x 30 x 2,0	0,37
40 x 30 x 3,0	0,54
40 x 30 x 4,0	0,73

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
50 x 20 x 2,0	0,37
50 x 20 x 3,0	0,54
50 x 25 x 2,0	0,39
50 x 25 x 3,0	0,58
50 x 25 x 4,0	0,78
50 x 30 x 2,0	0,42
50 x 30 x 3,0	0,62
50 x 30 x 4,0	0,82
50 x 30 x 5,0	1,01
50 x 40 x 4,0	0,93
60 x 15 x 2,0	0,39
60 x 20 x 2,0	0,42
60 x 25 x 2,0	0,45
60 x 30 x 2,0	0,48
60 x 30 x 3,0	0,70
60 x 30 x 4,0	0,93
60 x 40 x 2,0	0,53
60 x 40 x 3,0	0,79
60 x 40 x 4,0	1,04
60 x 40 x 5,0	1,30
62 x 17 x 2,0	0,42
65 x 50 x 6,0	1,77
70 x 20 x 2,0	0,48
70 x 40 x 2,0	0,58
75 x 20 x 2,0	0,50

Dimenzija / mm Dimension / mm Abmessung / mm	Teža / kg/m Weight / kg/m Gewicht / kg/m
a x b x d	
75 x 50 x 5,0	1,65
80 x 20 x 2,0	0,54
80 x 25 x 2,0	0,56
80 x 30 x 3,0	0,87
80 x 40 x 3,0	0,95
80 x 40 x 4,0	1,25
80 x 40 x 5,0	1,55
80 x 50 x 6,0	2,01
90 x 50 x 4,0	1,47
100 x 25 x 2,0	0,66
100 x 30 x 3,0	1,19
100 x 40 x 4,0	1,47
100 x 50 x 3,0	1,19
100 x 50 x 5,0	1,96
100 x 60 x 6,0	2,54
100 x 64 x 8,0	3,37
120 x 80 x 10,0	5,23
130 x 30 x 3,0	1,30
150 x 50 x 5,0	2,63
150 x 50 x 8,0	4,15
150 x 75 x 8,0	4,77
150 x 100 x 10,0	6,50
200 x 100 x 10,0	7,80

EN AW 6060 (AlMgSi0,50)

Legenda: / Legend: / Legende:

Na zalogi
In stock
Auf LagerDobavljivo glede na povpraševanje
Deliverable on demand
Auf Anfrage lieferbar